

# **SHORING MATERIAL KIT**

**AEL Range: 2-880044280 to 4281**

Large shoring material may be stowed in passageways to provide repair party personnel rapid access. Wooden shoring may be consolidated only as a last resort for stowage. A laminated inventory list should be provided with this kit bag of small items that includes equipment stowage locations.

# SHORING MATERIAL KIT

Quantity  
Required

KIT - SHORING MATERIAL -DC

1H 0000-LL-CQA-2465

This kit identifies materials used for the function of conducting shoring and plugging operations by using steel and wooden shores. Individual items are listed on AEL #2-880044280 and in alphabetical order in this guide.


BAG-KIT -

NSN 8460-00-606-8366

WT. 2.3 lbs

VOL. 8.0 in<sup>3</sup>

**DELETE**



1

Helpful Hints:

Utilize bag of same approximate size as substitute. For stowage of wedges.

Actual Inventory:


SHORING - LUMBER

4" x 4" x 12'

NSN 5510-00-663-4693

WT. 53.2 lbs.

VOL. 192.0 in<sup>3</sup>



80  
B.F.

Helpful Hints: Shoring: Six (6) pieces of 4" x 4" x 12' fire retardant treated lumber.


Actual Inventory:

SHORING STEEL - 6-11 FEET MAX

NSN 2090-00-052-1581

WT. 40.0 lbs.

VOL. 1,152.0 in<sup>3</sup>



4

Helpful Hints: Adjustable. Stowed in passageway. Lubricate swivel, ball, jack threads and internal rectangular shaft.

Actual Inventory:

# SHORING MATERIAL KIT


Quantity  
Required

SHORING STEEL - 3-5 FEET MAX

NSN 2090-00-058-3737

WT. 26.0 lbs.

VOL. 576.0 in.<sup>3</sup>



4

Helpful Hints: Adjustable. Stored in passageway. Lubricate swivel, ball, jack threads and internal rectangular shaft.

Actual Inventory:

WEDGES - WOOD

2" x 4" x 8"

NSN 5510-00-268-3480

WT. 0.7 lbs

VC. 2. ...



22

Helpful Hints: Softwood, Douglas Fir. This replaces odd size wedges from kit.

Actual Inventory:


WEDGE - WOOD

2-1/4" x 4" x 18"

NSN 5510-00-268-3478

WT. 1.9 lbs

VC. 1. ...



8

Helpful Hints: Made of softwood.

Actual Inventory: