

DAMAGE CONTROL UNIT PATROL STATION (DCUPS)

AEL Range: 2-880044216 to 4217

Utilize onboard material to build this kit. A laminated inventory list should be provided with this kit.

DCUPS

Quantity
Required


BATTERY D CELL 1.5 VOLT

NSN: 6135-00-835-7210

WT. 0.5 lbs

VOL. 3.0

DELETE



1
pkg

Helpful Hints:

Actual Inventory:


BAG-KIT -

NSN 8460-00-606-8366

WT. 2.3 lbs

VOL. 5.105 in³

DELETE



2

Helpful Hints: Replacement item. Utilize existing bags.

Actual Inventory:


BAR - WRECKING - 24"
STOCK DIA 3/4"

NSN 5120-00-224-1393

WT. 5.0 lbs

VOL. 1.5 in³

DELETE



1

Helpful Hints: Replacement item. Utilize existing bags.

Actual Inventory:


CHEST TOOL KIT - 23" x 9" x 11"

NSN 5140-00-369-4927

WT. 6.0 lbs.

VOL. 2.27 in³

DELETE



2

Helpful Hints: Utilize box or bag of approximate size as substitute.

Actual Inventory:

DCUPS


Quantity
Required

CLAMP SPRING - SMK CTN

9Q 5120-01-121-5023

WT. 6.0 oz

VOL. 29.1 in³



32

Helpful Hints:

Additional clamp added to better secure curtain. NAVSEA funds not required. Local purchase suggested (Adjustable Clamp, Chicago, IL)


Actual Inventory:

CONNECTION - WYE GATE
2-1/2" INLET x TWO 1-1/2" OUTLETS

NSN 4210-00-255-0234

WT. 11.0 lbs.

VOL. 185.9 in³



2

Helpful Hints:

Actual Inventory:

CP - MASK - MCU-2A/P

0000-LL-CQA-3202 (SELECT SIZE)


NSN 4240-01-327-4148

4240-01-327-4149

4240-01-327-4150

WT. 6.4 lbs

VOL. 575.9 in³



AR

Helpful Hints:

Actual Inventory:


PP-CANISTER - MCU 2/P (C-2) GREEN

NSN 4240-01-119-2315

(CAN OF 2)

WT. 0.8 lbs.

VOL. 34.7 in³



AR

Helpful Hints: Can be stowed in DCRS, CBR lockers, or CBR storeroom.

Actual Inventory:

DCUPS

Quantity
Required

DECON KIT - M291
SKIN DECON

NSN 4230-01-276-1905

WT. 3.2 oz

VOL. 9. i

DELETE



AR

Helpful Hints:

Stored with MCU-2/P mask. Stowed in DCRS, CBR locker or CBR storeroom.
Allowance is 138% SMD or 1 box of 20 kits per 14%. Includes 33% SMD or 1 skin decon kit per 3 personnel for annual training.- M291

Actual Inventory:


FLASHLIGHT - WATERPROOF
WITHOUT "D" CELL BATTERIES
WITH 2 LAMPS, 1 SPOT AND 1 DIFFUSING.
2 FILTERS, 1 BLACKOUT AND 1 RED LENS.

NSN 6230-00-270-5418

WT. 3.0 oz

VOL. 3. i

DELETE



6

Helpful Hints:


Actual Inventory:

HAMMER - BLACKSMITH SLEDGE
12 LB.
CROSSPEEN HEAD
34 IN. HANDLE-HICKORY

NSN 5120-00-224-4130

WT. 14.0 lbs.

VOL. 678.1 in.³



1

Helpful Hints:

Actual Inventory:

FLASHLIGHT - INVESTIGATOR

NSN 6230-01-281-3775

WT. 1.5 lbs

VOL. 62.5 in.³



6

Helpful Hints: Two per DCRS. Stow with Investigator's Kit.

Actual Inventory:

DCUPS

Quantity
Required


HOSE - 2-1/2" x 50 FT.
NON-METALLIC

NSN 4210-01-131-0247

WT. 35.0 lbs.

VOL. 1,800 in³

DELETE



2

Helpful Hints:

Actual Inventory:

KIT - COLLECTIVE PROTECTION SYS

DELETE

This kit identifies all equipment used for the function of providing temporary CPS integrity. Individual items are listed on AEL #2-880044235 and in alphabetical order in this guide

1

KIT - ELECTRICAL REPAIR-DC

1H 0000-LL-CQA-2449

Used in damage control repair stations by qualified repair party electricians, this kit identifies all equipment used for the function of providing repairs to electrical panels, lighting, wireways and portable electrical equipment.

1

KIT - EMERGENCY COMM-DC

1H 0000-LL-CQA-2451

This kit identifies all equipment used for the function of providing emergency communications at battle stations or other general shipboard casualties.

1

KIT - FIRE FIGHTING/ACCESS
EQUIPMENT-DC

1H 0000-LL-CQA-2454

This kit identifies all equipment used for the function of providing access into compartments/spaces and combating fires. Individual items are listed on AEL #2-880044252 and in alphabetical order in this guide.

1

DCUPS

Quantity
Required


KIT - FIRST AID

NSN 6545-00-116-1410

WT. 10.0 lbs. VOL. 26.9 in³

Helpful Hints:

A laminated kit inventory should be with this kit.



1

Actual Inventory:

KIT - INVESTIGATOR - DC

1H 0000-LL-CQA-2457

This kit identifies all equipment used for the function of performing the preliminary survey of a known or suspected damage/fire/flooding area. Individual items are listed on AEL #2-880044262 and in alphabetical order in this guide.


1

LANTERN - ELECTRIC (FLOOD SEAL BEAM)
WET CELL, DAMAGE CONTROL FLOOD TYPE.

NSN 6230-00-643-3661

WT. 4.0 lbs. VOL. 919.80 in.³

DELETE



1

Helpful Hints: U.S.S Stark Lessons Learned item. Recommend stowing on rubber mat to prevent battery drainage. Kit - Battery Conversion 1HM0099-LL-H40-4396. See AEL 2-880044298.

Actual Inventory:

DCUPS

Quantity
Required

PP-BOOTS - FIREMAN

1H 0000-LL-CJ6-8462 SELECT SIZE

NSN 8430-00-753-5935 SIZE 05

NSN 8430-00-753-5936 SIZE 06

NSN 8430-00-753-5937 SIZE 07

NSN 8430-00-753-5938 SIZE 08

NSN 8430-00-753-5939 SIZE 09

NSN 8430-00-753-5940 SIZE 10

NSN 8430-00-753-5941 SIZE 11

NSN 8430-00-753-5942 SIZE 12

NSN 8430-00-753-5943 SIZE 13


NSN 8430-00-753-5944 SIZE 14

NSN 8430-00-753-5945 SIZE 15

(PAIR)

WT. 6.7 lbs

VOL. 3,935.2 in³



6

Helpful Hints: Each OBA should have boots available. Can be stowed with OBAs or in DCRS. Fireman boots are authorized for use by Repair Party Electricians (Nov 86 NAVSHIPS Safety Bulletin).

Actual Inventory:

PP-COVERALLS - - FIRE RET

MENS

1H 0000-LL-CJA-1091 (SELECT SIZE)

NSN 8405-01-204-5397 SIZE 36S

NSN 8405-01-204-5398 SIZE 36R

NSN 8405-01-204-5399 SIZE 38S

NSN 8405-01-204-5400 SIZE 38R

NSN 8405-01-204-5401 SIZE 38L

NSN 8405-01-204-5402 SIZE 40S

NSN 8405-01-204-5403 SIZE 40R

NSN 8405-01-204-5404 SIZE 40L

NSN 8405-01-204-5405 SIZE 42S


NSN 8405-01-204-5406 SIZE 42R

NSN 8405-01-204-5407 SIZE 42L

NSN 8405-01-204-5408 SIZE 44S

NSN 8405-01-204-5409 SIZE 44R

NSN 8405-01-204-5410 SIZE 44L



1/8" Thick

NSN 8405-01-204-5411 SIZE 46S

NSN 8405-01-204-5412 SIZE 46R

NSN 8405-01-204-5413 SIZE 46L

NSN 8405-01-204-5414 SIZE 48S

NSN 8405-01-204-5415 SIZE 48L

6

WT. AVG 1.0 LB

VOL. AVG 108.0 in³ (FOLDED 18"X12"X1/2")

Actual Inventory:

DCUPS

Quantity
Required


PP - COVER - LENS OBA

NSN 4240-01-052-9901

WT. 0.2 lbs.

VOL. 5.0 in.³

DELETE



1
each

Helpful Hints: 25 per package.

Actual Inventory:


PP-GLOVES - ANTIFLASH

NSN 8415-01-267-9661

(PAIR)

WT. 1.0 oz

VOL. 11.3 in.³



12

Helpful Hints:

Stored with life preserver and antiflash hood. Part of G.Q. gear.

Actual Inventory:

PP-GLOVES - RUBBER
7500 VOLT


NSN 8415-01-158-9450

(PAIR)

WT. 1.0 lb

VOL. 77.0 in.³

DELETE



1
pair

Helpful Hints: Previous safety requirement.

Actual Inventory:

PP-GLOVES - SHELL ELEC


NSN 8415-00-264-3618

(PAIR)

WT. 1.5 lbs

VOL. 84.0 in.³

DELETE



1
pair

Helpful Hints: Previous safety requirement.


Actual Inventory:

DCUPS

Quantity
Required

PP-GLOVES - FIREMAN

1HM0000-LL-CQA-2201 SELECT SIZE
NSN 8415-01-421-1368 SIZE SML
NSN 8415-01-421-1371 SIZE MED
NSN 8415-01-421-1373 SIZE LRG
NSN 8415-01-421-1375 SIZE X-LRG
NSN 8415-01-421-1376 SIZE XX-LRG
(PAIR)
WT. 2.0 lbs. VOL. 108.0 in³




6
pair

Helpful Hints: Used for each OBA. Replace stock when worn with new firefighter's glove which has an aluminized back & knit wristlet. NSN: 8415-01-335-7901 (XS) thru 8415-01-335-7905 (XL).

Actual Inventory:

PP-HELMET - BATTLE

1HS0000-LL-CJ7-5888
WT. 3.0 lbs VOL. 1,025.4 in³



AR

Helpful Hints:

DELETE

Actual Inventory:

PP-HELMET - FIREMAN

NSN 8415-01-271-8069
WT. 2.9 lbs VOL. 1,320.0 in³



Helpful Hints: Stored in helmet rack in passageway, on hook, butterfly clips or designated stowage device.

Actual Inventory:

DCUPS


Quantity
Required

PP-HELMET - PHONE TALKER
MARK 4 MOD 0

NSN 8470-01-127-7337

WT. 4.0 lbs. VOL. 1,124.0 in³

DELETE



1


Helpful Hints: Stored in phone talker helmet rack in main DCRS or passageway.

Actual Inventory:

PP-HOOD - ANTIFLASH

NSN 8415-01-268-3473

WT. 2.0 oz VOL. 20.2 in³




12

Helpful Hints:

Actual Inventory:

PP-LANTERN HEAD - (USES FOUR SIZE AA BATTERIES)

NSN 6135-00-043-7845 SIZE AA BATTERIES
NSN 6230-01-285-4396 ASSEMBLY
PHILLIPS HPR-40 OR REPLACEMENT
OSRAM 640721 HALOGEN BULB



6

WT. 1.0 lbs VOL. 117.0 in³

DELETE

Helpful Hints:


Actual Inventory:

DCUPS

Quantity
Required

PP-LIFE PRESVR - Y INFLAT

DELETE



12

NSN 4220-00-289-1891

WT. 3.0 lbs.

VOL. 60.0 in³

Helpful Hints: Stow with antilash hood/gloves. Part of G.Q. gear.

Actual Inventory:

SMOKE CRTNS - TWO-PANEL CURTAIN
(STOWED FOLDED)

NSN 4210-01-306-7826

(3 SETS PER DCRS)

WT. 13.8 lbs.

VOL. 4,224.0 in³



4

Helpful Hints:

Actual Inventory:


TAPE - MEAS SOUNDING
50 FT

NSN 5120-00-221-1886

WT. 2.0 lbs.

VOL. 69.5 in³

DELETE



1

Helpful Hints:

Actual Inventory:

DCUPS


Quantity
Required

**WRENCH - MONKEY
(ADJUSTABLE AUTO)
15" LONG - ADJUSTABLE TO 3-5/8"
OPENING
STEEL**

NSN 5120-00-264-3793

WT. 3.5 lbs.

VOL. 67.5 in.³



2

Helpful Hints:

Actual Inventory: