SAFETY / SURVIVABILITY NDI EQUIPMENT

AEL Range: 2-880044298 to 4299

This equipment will be outfitted as NAVSEA funding is available.

Quantity Required

ALARM - PERSONNEL ALERT


1HM0099-LL-H40-8967



WT. 0.6 lbs

VOL. 21.7 in³

<u>Helpful Hints:</u> Five per ship. Stowage determined by gas free engineer. Weight includes battery, 9 volt.



Actual Inventory:

AMPLIFIER - SOUND/POWERED PHONE

1HM0099-LL-H40-8968

WT. 0.5 lbs

VOL. 18.0 in³

Helpful Hints: Two per DCRS. Stow with Emergency Communication Kit.

Actual Inventory:


ATTACHMENT - PORTABLE WATER BLOWER

1HM0099-LL-H40-8969

WT. 17.0 lbs

VOL. 2,500.0 in³

Helpful Hints: One per DCRS. Stow with desmoking equipment.



CLAMP - DAMAGE CONTROLMAN

1HM0099-LL-H40-8970 - 1-1/2" 1HM0099-LL-H40-8971 - 2-1/2"

WT. 1.5 lbs

VOL. 27.5 in³

Helpful Hints: One per DCRS. Stow within DCRS on a shelf or in a bin. Clamp up to 125 psi. The clamp has a spanner built into handle.



Actual Inventory:

Quantity Required

DUCT - MANHOLE/SCUTTLE SADDLE VENT

1HM0099-LL-H40-8972

WT. 8.0 lbs

VOL.





Helpful Hints: One per DCRS. Stow with desmoking equipment. A hatch bolt is used to secure vent saddle. Used with the 8" vent duct hose.

FIREFINDER
SENSOR, PORTABLE INFRARED HEAT

NSN 4210-01-207-9687

WT. 2.0 lbs VOL 563 ELETE

Helpful Hints: Two per DCRS. Stow with Investigator's Kit.


Actual Inventory:

NSN 6230-01-281-3775

WT. 1.5 lbs

VOL. 62.5 in³

Helpful Hints: Two per DCRS. Stov



Actual Inventory:

Quantity Required

FOUR GAS ANALYZER

1HM0099-LL-H40-8973

WT. 6.2 lbs

VOL.



<u>Helpful Hints:</u> For gas free engineering. Stowage is determined by the gas free engineer. Ships with one DCRS will have one analyzer; Ships with two or three DCRSs will have two analyzers; Ships with four to eight DCRSs will have three analyzers.

Actual Inventory:

KIT - BATTERY CONVERSION LANTERN RECHARGEABLE

1HM0099-LL-H40-4396


WT. 2.0 lbs

VOL.

DELETE

Helpful Hints: Two per DCRS. This provides a rechargeable power source for each emergency damage control lantern and is authorized as a replacement for current wet cell battery used in the lantern. The kit consists of three sealed rechargeable 6V AA batteries and one 110V AC charger module.

Actual Inventory:



Actual Inventory:

Quantity Required

Actual Inventory:

LADDER - FOLDING 1HM0099-LL-H40-8976 ELETE VOL. 9,216.0 in³ WT. 9.0 lbs Helpful Hints: One per DCRS. Stow with shoring or access equipment. Actual Inventory: POLE - MAN OVERBOARD RESCUE ELETE 1HM0099-LL-H40-8977 WT. Ibs VOL. Helpful Hints: Two per ship. Stowage to be determined by the First Lieutenant. Actual Inventory: RESCUE DEVICE - CONFINED SPACE HAUL SAFE 1HM0099-LL-H40-8978 VOL. 1,728.0 3 WT. 30.0

Helpful Hints: One per DCRS. Stow with access equipment.

Quantity Required

THERMAL CUTTER - DIVER WORN EMERGENCY ACCESS KERIE CABLE


NSN 4220-01-359-0849

WT. 95.0 lbs

VOL. 9,728.0 in³



Helpful Hints: Only required on CV/CVN, LHA, and LHD class ships. Stowage to be determined by the ship's DCA.



Actual	Inventory:	