

**Will Be Removed  
in Next Version**

**DELETED ITEMS  
FROM DCRS EQUIPMENT**

DCAS & Inspection teams -  
Ensure Equipment is removed  
from Damage Control useage  
and stowages to make stowage  
space available for new  
equipment enhancements.

# DELETED ITEMS


Quantity  
Required

## BANDING KIT - CLAMPING TOOL - STRAP BAND-IT KIT.

1HS0000-LL-CHO-4115  
NSN 5180-00-288-6567  
NSN 5120-00-278-9925

WT. 3.0 lbs. VOL. 159.3 in.<sup>3</sup>

Helpful Hints: Deleted from Pipe Patching Kit.




## BATTERY D CELL 1.5 VOLT

NSN: 6135-00-835-7210

WT. 0.5 lbs VOL. 3.5 in.<sup>3</sup>

Helpful Hints: Deleted from Gas Free Engineering Kit.




## BLOCK AND FALL - 8" DBL

NOTE: BLOCK & FALL CONSISTS OF TWO BLOCKS AND  
ONE 300 FT LENGTH OF ROPE CUT FROM  
1-3/4" NYLON ROPE LISTED BELOW

1H 0000-LL-CJ7-5879 (COMPLETE SYSTEM)  
NSN 3940-00-926-3710 BLOCK,TACKLE  
NSN 3940-00-926-3718 BLOCK,TACKLE 8IN DBL R1  
NSN 4020-00-560-7732 ROPE-1-3/4 IN CRCM X 1200 FT

WT. 47.0 lbs. VOL. 5040.0 in.<sup>3</sup>

Helpful Hints: Deleted from Repair Locker Tool Kit.




# DELETED ITEMS

Quantity  
Required

**CABLE - ASSEMBLY  
CASUALTY POWER  
75 FT**

**1HM0000-LL-CQA-0078**

**WT.** 60.0 lbs      **VOL.** 6,950.0 in<sup>3</sup>




Helpful Hints: Deleted from AEL 2-880044201.

---

**CASUALTY POWER - SWITCH  
SYMBOL 1041  
(FOR THREE PRONG CASUALTY POWER SYSTEM USEAGE ONLY)  
NSN 5430-00-392-2894**

**WT.** 15.0 lbs.      **VOL.** 1,100.0 in<sup>3</sup>




Helpful Hints: Deleted from all parent AELs.

---

**CASUALTY POWER - WRENCH  
(FOR THREE PRONG CASUALTY POWER SYSTEM USAGE ONLY)**

**NSN 5120-00-241-3181**

**WT.** 0.4 lbs      **VOL.** 4.6 in<sup>3</sup>




Helpful Hints: Deleted from AEL 2-880044201.

---

**COUPLING - PNEUM  
HALF QUICK 1/2"  
CLASS-OF**

**NSN 4730-00-277-5680**

**WT.** 0.2 lbs.      **VOL.** 1.2 in.<sup>3</sup>



Helpful Hints: Previous requirement.  
Deleted from Gas Free Engineer's Kit.

---


# DELETED ITEMS

Quantity  
Required

**COUPLING - PNEUM**  
HALF QUICK 1/2"  
CLASS-OM

**NSN 4730-00-289-4242**

**WT.** 0.2 lbs.                      **VOL.** 1.5 in.<sup>3</sup>




Helpful Hints: Previous requirement. Deleted from Gas Free Engineer's Kit.

---

**COUPLING - STRAIGHT**  
1" X 1-43/64" - NPT

**NSN 4210-00-187-7614**

**WT.** 3.0 oz                      **VOL.** 1.3 in.<sup>3</sup>




Helpful Hints:

---

**COUPLING - STRAIGHT**  
2" X 2-17/32" - NPT

**NSN 4210-00-187-7617**

**WT.** 7.0 oz                      **VOL.** 7.9 in.<sup>3</sup>




Helpful Hints:

---

**COUPLING - STRAIGHT**  
2-1/2" X 2-7/8" - NPT

**NSN 4210-00-187-7618**

**WT.** 9.0 oz                      **VOL.** 14.1 in.<sup>3</sup>



Helpful Hints:

---


# DELETED ITEMS

Quantity  
Required

**DRILL - HAND, STRAIGHT SHANK,  
NSN 5110-00-293-3411**

WT. 2.5 lbs.

VOL. 412.5 in<sup>3</sup>




Helpful Hints: (Herty Gerty) Drills up to 3/8" hole. Previous requirement. Deleted from Repair Locker Tool Kit.

**FAN - VANEAXIAL  
RED DEVIL BLOWER  
500 CFM - 110 VOLTS**

**NSN 4140-00-267-0967  
NSN 4140-01-204-2799 INLET BELL W/SCREEN  
NSN 4140-01-130-2354 NOSE CONE  
NSN 4240-01-344-5368 DUCT BELL ASSY**


WT. 109.0 lbs.

VOL. 5,510.8 in.<sup>3</sup>



Helpful Hints: Deleted from AEL 2-880044200 (1 ea) and Desmoking Kit 2-880044238, 239 (2 ea).

**FLEETPAK  
(A pipe patching repair kit)**



Helpful Hints: Deleted from NDI equipment.



# DELETED ITEMS

Quantity  
Required

**FUSE - 5 AMP**  
**250 VOLTS OR LESS**  
**NSN 5920-00-280-4426**

(BOX OF 10)  
WT. 0.5 lbs

VOL. 12.1 in<sup>3</sup>





Helpful Hints:

---

**FUSE - 5 AMP**  
**250 VOLTS OR LESS**  
**NSN 5920-00-503-4479**

(BOX OF 10)  
WT. 0.5 lbs

VOL. 12.1 in<sup>3</sup>





Helpful Hints: Deleted from Electrical Repair Kit.

---

**FUSE - 10 AMP**  
**250 VOLTS OR LESS**  
**NSN 5920-00-280-4431**

(BOX OF 10)  
WT. 0.7 lbs

VOL. 12.1 in<sup>3</sup>



Helpful Hints: Deleted from Electrical Repair Kit.

---

# DELETED ITEMS



Quantity  
Required

**FUSE - 15 AMP**  
125 VOLTS

**NSN 5920-00-280-4428**

(BOX OF 10)  
WT. 0.4 lbs

VOL. 12.1 in<sup>3</sup>



Helpful Hints: Deleted from Electrical Repair Kit.



---

**FUSE - 30 AMP**  
250 VOLTS OR LESS

**NSN 5920-00-849-6475**

(BOX OF 10)  
WT. 0.4 lbs

VOL. 12.1 in<sup>3</sup>



Helpful Hints: Deleted from Electrical Repair Kit.

---



**FUSE - 15 AMP**  
125 VOLTS

**NSN 5920-00-846-5727**

(BOX OF 10)

WT. 0.4 lbs

VOL. 17.9 in<sup>3</sup>



Helpful Hints: Deleted from Electrical Repair Kit.  
Slow blow fuse used with the Red Devil Blower.

---

# DELETED ITEMS

Quantity  
Required

## FUSE - CART

NSN 5920-00-851-4739  
NSN 5920-00-853-0173

WT. 0.5 lbs                      VOL. 12.6 in<sup>3</sup>


Helpful Hints: Fuse cart contains 10 fuses. Deleted from Electrical Repair Kit.

---

## GROUNDING CABLE - 6 FOOT

NSN 6150-01-147-0359

WT. 1.0 lbs                      VOL. 144.0 in<sup>3</sup>



Helpful Hints: Safety requirement. Used to ground blowers during gas free evolutions. Deleted from Gas Free Engineering Kit.


---

## HOIST, CHAIN 3 TON CAP

NSN 3950-00-965-0097

WT. 105.0 lbs                      VOL. 1,258.0 in<sup>3</sup>

Helpful Hints: Deleted from Repair Locker Tool Kit.






# DELETED ITEMS

Quantity  
Required

**HOSE - AIR DUCT 8"-EXTENDS TO 15'**  
INTENDED FOR USE WITH PORTABLE  
VENTILATING SETS ON SHIPS WHERE  
NON-MAGNETIC EQUIPMENT IS NOT  
REQUIRED.




**NSN 4720-00-277-7225**

**WT.** 20.5 lbs.      **VOL.** 3000.0 in.<sup>3</sup>

Helpful Hints: Vent duct for Red Devil Blower. Deleted from AEL 2-880044211 (4 each) and Desmoking Kit 2-880044238, 239 (4 each).

---

**HOSE ASSEMBLY - PNEUMATIC**  
5/16" x 50 FT.



**NSN 4720-00-293-7997**

**WT.** 12.0 lbs      **VOL.** 337.5 in.<sup>3</sup>

Helpful Hints: Previous requirement. Deleted from Gas Free Engineering Kit.

---

**KIT - LOW PRESSURE AIR LINE-DC**

**1H 0000-LL-CQA-2458**

This kit identifies all equipment used for the function of restoring L.P. air to vital and non-vital systems. Individual items are listed on AEL #2-880044264 and in alphabetical order in this guide.

---

**KIT - PLASTIC PATCH-PIPE REPAIR**

**1HM0000-LL-CQA-0095**

Helpful Hints: Deleted from all parent AELs except 2-880044200 and 2-880044201.

---

# DELETED ITEMS


Quantity  
Required

**LAMB AIR MOVER -**  
3" MODEL 32119, 1640 CFM



**NSN 4730-00-313-0680**

**WT.** 6.5 lbs                      **VOL.** 2,521.0 in<sup>3</sup>

Helpful Hints: Deleted from Gas Free Engineering Kit.



**MASK - AIR LINE ASSEMBLY**  
TYPE 1 CLASS 2 WITH 25' OF 5/8"  
AIRLINE HOSE  
(AEL 2-88044047)




- NSN 4240-00-040-8453** Filter
- NSN 4240-00-275-3177** Airline Hose
- NSN 4240-00-770-0268** Hose, Airline Mask
- NSN 4240-00-770-0269** Filter
- NSN 4240-00-770-0270** Cartridge
- NSN 4240-01-022-1541** Submarines (Demand Regulating Mask)
- NSN 4240-01-053-4228** Manifold, Double Outlet
- NSN 4240-01-104-5402** Surface Ships (Pressure Demand Regulating Mask)
- NSN 4720-00-245-2304** Extension Hose (25 ft)
- NSN 4730-01-009-9520** Fitting (male)

**WT.** 5.1 lbs. = MASK    **VOL.** 360.0 in<sup>3</sup>  
2.8 lbs. = HOSE            504.0 in<sup>3</sup>

Helpful Hints: Deleted from Gas Free Engineering Kit.

**OPERATIONAL TEST/CHECK KIT**  
FOR COMBUSTIBLE  
GAS INDICATOR PORTABLE  
**NSN 6665-00-401-8500**

**WT.** 5.0 lbs.                      **VOL.** 279.6 in.<sup>3</sup>



Helpful Hints: Deleted from Gas Free Engineering Kit.

# DELETED ITEMS


Quantity  
Required

**OPERATIONAL TEST/CHECK KIT -  
MODEL 502**

**1H 0000-LL-CQA-2495**

**WT. 5.0 lbs.**

**VOL. 262.0 in<sup>3</sup>**



Helpful Hints: Utilize operational test/check kit that matches equipment manufacturer onboard. Deleted from Gas Free Engineering Kit.

---

**PP-CANISTER - MASK MK V (C-1) (GREY SHIPPING CONTAINER)**



5" x 3-1/2"

**NSN 4240-00-218-0779**

(CAN OF 2)

**WT. 1.4 lbs**

**VOL. 66.0 in<sup>3</sup>**



Helpful Hints: Deleted from Unit Patrol Locker and Unit Patrol Station.


---

**PP - CANISTER - OXYGEN GEN  
(GREEN)**

**NSN 4240-00-174-1365**

**WT. 4.0 lbs**

**VOL. 178.1 in<sup>3</sup>**



Helpful Hints: Deleted item from Investigator's Kit only.


# DELETED ITEMS

Quantity  
Required

PP-HELMET - BATTLE

1HS0000-LL-CJ7-5888

WT. 3.0 lbs                      VOL. 1,025.4 in<sup>3</sup>



Helpful Hints: Deleted from AELs:

2-880044200	1 each
2-880044201	1 each
2-880044202	1 each
2-880044203	as required
2-880044204	as required
2-880044205	as required
2-880044206	as required
2-880044207	as required

Replaced by FF helmets for all repair party personnel - for 1-7 DCRS ships. Ships with 8-10 DCRSs will receive full outfitting as NAVSEA funds are available.

---

**RAKE - OVERHAUL**


MANUFACTURED BY SHIP'S FORCE

REFER TO DWG NO: 804-5959242

GEN NOTE: IAW WITH NAVSEA "COAT HANDLE FROM TOP UP TO AND INCLUDING BRACKET WITH PLASTISOL IAW W/MIL-P-20689 TO IMPROVE GRIP AND TO PROVIDE ELECTRICAL INSULATION"

1HS0000-LL-CJ7-5891

WT. 12.0 lbs.                      VOL. 60.0 in<sup>3</sup>



Helpful Hints: Deleted as replacement overhaul rake is received.


---

**TERMINAL - QDSCNT**

NSN 5940-00-196-2287

WT. 0.2 oz                      VOL. 1.6 in<sup>3</sup>

Helpful Hints: Deleted from Welding Kit.



# DELETED ITEMS


Quantity  
Required

**TOOL BOX - PORTABLE**  
22" x 8-1/2" x 9-1/2"

**NSN 5140-00-315-2758**

**WT.** 11.0 lbs      **VOL.** 1,776.5 in<sup>3</sup>

Helpful Hints: Deleted from LP Air Kit.



**WATER-JEL**  
**FIRE BLANKET**

**NSN: 9M 6510-01-242-2271**

Helpful Hints: Deleted from NDI equipment.




**WIRE ROPE ASSEMBLY -**  
**(OBA TENDING LINE)**  
3/16" DIAMETER AND 50' LONG  
EQUIPPED WITH SHANK HOOK EACH END

**NSN 4010-00-285-9901**

**WT.** 6.0 lbs      **VOL.** 275.0 in<sup>3</sup>

Helpful Hints: Deleted from Investigator's Kit, Repair Locker Tool Kit and Rescue and Assistance Kit.



# DELETED ITEMS

Quantity  
Required


**WRENCH SET - SOCKET 3/8" DRIVE  
23 PC SET**

**NSN 5120-00-322-6231**

**WT. 10.0 lbs      VOL. 328.0 in<sup>3</sup>**

Helpful Hints: Deleted from DCPO Kit.

---



**INVENTORY AID BOOKLET  
for  
DAMAGE CONTROL EQUIPMENT**

**RECOMMENDATION/SUGGESTION FORM**

In the interest of continually improving the Inventory Aid Booklet for Damage Control Equipment, we would like to receive your suggestions for making this document a more effective tool for Navy personnel. To ensure that your suggestions are processed quickly and fully, please forward each recommendation on a separate form, with the requested information filled out. New changes will be presented annually at the CNO's DC/FF Working Group. Thank you for your time and effort in helping us improve this booklet.

**ORIGINATOR INFORMATION**

Name: \_\_\_\_\_

Ship/Station: \_\_\_\_\_

Address: \_\_\_\_\_

Daytime Phone Number: \_\_\_\_\_

Date: \_\_\_\_\_

**RECOMMENDATIONS/SUGGESTION**

What is the latest change incorporated into your DCEIA? \_\_\_\_\_  
\_\_\_\_\_

Does this suggestion pertain to incorrect information currently contained in the DCEIA?  
(Y or N). Circle one.

If yes, what page(s) and paragraph(s) contain the error? \_\_\_\_\_  
\_\_\_\_\_

Recommendation/Suggestion: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

MAIL COMMENTS TO:  
COMMANDER  
H. KUZMA 03G1  
NAVAL SEA SYSTEMS COMMAND  
2531 JEFFERSON DAVIS HWY  
ARLINGTON, VA 22242-5160  
CODE: NAVSEA 03G1