




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #012

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

LIST OF MATERIAL


NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR, VERT	1	.063 AL. 5052-H32
3	STIFFENER, DOOR, HORZ	1	.063 AL. 5052-H32
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	6	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	STIFFENER DOOR	4	.050 ALUM 5052-H32
17	STIFFENER	2	.063 ALUM 5052-H32
18	STIFFENER	1	.063 ALUM 5052-H32
19	BUMPER	4	RUBBER
20	BOLT, H.HD. ⅜-16 1¼L	6	STEEL
21	NUT, SELF-LKG, ⅜-16	6	STEEL
22	WASHER, FLAT, ⅜ STD.	6	STEEL

GENERAL NOTES

1. UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
2. FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #012

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #013

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

LIST OF MATERIAL


NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR, VERT	1	.063 AL. 5052-H32
3	STIFFENER, DOOR, HORZ	1	.063 AL. 5052-H32
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	6	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	DOOR/FRAME FERRULE	4	.050 ALUM 5052-H32
17	BUMPER	4	RUBBER
18	BOLT, H.HD. ⅝-16 1¼L	6	STEEL
19	NUT, SELF-LKG, ⅝-16	6	STEEL
20	WASHER, FLAT, ⅝ STD.	6	STEEL

GENERAL NOTES

1. UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
2. FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #013

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #014

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

LIST OF MATERIAL

NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR, VERT	1	.063 AL. 5052-H32
3	STIFFENER, DOOR, HORZ	1	.063 AL. 5052-H32
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	6	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	STIFFENER DOOR	4	.050 ALUM 5052-H32
17	STIFFENER	4	.063 ALUM 5052-H32
18	BUMPER	4	RUBBER
19	BOLT, H.HD. ⅝-16 1¼L	6	STEEL
20	NUT, SELF-LKG, ⅝-16	6	STEEL
21	WASHER, FLAT, ⅝ STD.	6	STEEL


GENERAL NOTES

1. UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
2. FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #014

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

Page 2 of 2



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #015

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

LIST OF MATERIAL


NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR	1	.063 AL. 5052-H32
3	STIFFENER, DOOR, HORZ	1	.063 AL. 5052-H32
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	6	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	BUMPER	4	RUBBER
17	BOLT, H.HD. ⅝-16 1¼L	6	STEEL
18	NUT, SELF-LKG, ⅝-16	6	STEEL
19	WASHER, FLAT, ⅝ STD.	6	STEEL

GENERAL NOTES


- UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
- FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #015

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT



SHIP LOOSE WITH
EACH UNIT (18) (19) (20)



DETAIL

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #016

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

LIST OF MATERIAL


NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR, VERT	1	.063 AL. 5052-H32
3	STIFFENER, DOOR, HORZ	1	.063 AL. 5052-H32
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	6	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	STIFFENER DOOR	4	.050 ALUM 5052-H32
17	BUMPER	4	RUBBER
18	BOLT, H.HD. ⅝-16 1¼L	6	STEEL
19	NUT, SELF-LKG, ⅝-16	6	STEEL
20	WASHER, FLAT, ⅝ STD.	6	STEEL

GENERAL NOTES

1. UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
2. FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #016

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #017

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

LIST OF MATERIAL


NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR	1	.063 AL. 5052-H32
3	STIFFENER, DOOR, HORZ	1	.063 AL. 5052-H32
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	6	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	BUMPER	4	RUBBER
17	BOLT, H.HD. ⅝-16 1¼L	6	STEEL
18	NUT, SELF-LKG, ⅝-16	6	STEEL
19	WASHER, FLAT, ⅝ STD.	6	STEEL

GENERAL NOTES


1. UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
2. FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #017

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT



SHIP LOOSE WITH
EACH UNIT 18 19 20



DETAIL

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #018

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

LIST OF MATERIAL


NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR, VERT	1	.063 AL. 5052-H32
3	STIFFENER, DOOR, HORZ	1	.063 AL. 5052-H32
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	8	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	STIFFENER DOOR	4	.050 ALUM 5052-H32
17	BUMPER	4	RUBBER
18	BOLT, H.HD. ⅜-16	8	STEEL 1 ¼ L
19	NUT, SELF-LKG, ⅜-16	8	STEEL
20	WASHER, FLAT, ⅜ STD.	8	STEEL

GENERAL NOTES

1. UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
2. FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #018

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #019

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

Page 1 of 2

LIST OF MATERIAL


NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR	4	.050 ALUM
3	STIFFENER, DOOR, HORZ	1	.063 AL. 5052-H32
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	6	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	BUMPER	4	RUBBER
17	BOLT, H.HD. ⅝-16	6	STEEL 1¼L
18	NUT, SELF-LKG, ⅝-16	6	STEEL
19	WASHER, FLAT, ⅝ STD.	6	STEEL

GENERAL NOTES


- UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
- FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #019

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT



SHIP LOOSE WITH
EACH UNIT (16) (17) (18)



DETAIL

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #020

DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT

LIST OF MATERIAL


NO.	DESCRIPTION	Qty.	MATERIAL
1	LOCKER	1	.063 AL. 5052-H32
2	STIFFENER, DOOR	4	.050 AL 5052-H32
3	BUMPER	4	RUBBER
4	STIFFENER, LOCKER	4	.063 AL. 5052-H32
5	DOOR	1	.050 AL 5052-H32
6	REINF. PAD 2X2	4	¼ THK ALUM.
7	RECESS CUP	1	.050 ALUM
8	LOCK ROD	2	5/16 Ø SPADE BOLT, STEEL
9	TEE HANDLE	1	S3200-860055, PC# 13
10	LKG DVC PLATE	1	11 GA CRES
11	LKG DVC CAM	1	12 GA CREW
12	LKG DVC STRAP	1	16 GA CRES
13	ESCUTCHEON	1	20 GA CRES
14	DOOR FERRULE	2	HEYCO 58-500-5
15	DOOR/FRAME FERRULE	4	HEYCO 58-500-6
16	BOLT, H.HD. ¾-16	4	STEEL 1¼L
17	NUT, SELF-LKG, ¾-16	4	STEEL
18	WASHER, FLAT, ¾ STD.	4	STEEL

GENERAL NOTES


1. UNIT APPROVED FOR GRADE "B" SHOCK SUPSHIP BATH APPROVAL SER# 250P/2614 DATED 26 MAR 1991.
2. FOR STOWAGE OF ANY ONE OF THE FOLLOWING DAMAGE CONTROL EQUIPMENT:
 - OBA CANISTER / 1 CARTON
 - LIFE JACKET
 - GAS MASK
 - GAS FREE EQUIPMENT
 - INVESTIGATOR'S EQUIPMENT

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #020


DAMAGE CONTROL LOCKER, VARIOUS EQUIPMENT




DETAIL A



PLAN




PLAN (SUB-BASE)



**ELEVATION
(NO DOORS)**

SIDE VIEW


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 021
DEWATERING KIT STOWAGE LOCKER
PAGE 1 OF 3




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 021
DEWATERING KIT STOWAGE LOCKER
PAGE 2 OF 3

	ASSY	LIST OF MATERIAL			
QTY	PART NO.	NAME	MATERIAL	REFERENCES	REMARKS
6	1	HINGE, 2" x 1-5/8"	STL CAD PLTD	NN STOCK 17-15-302	
6	2	ANTI-RATTLER	RUBBER PURE GUM		
1	3	LOCKING DEVICE	SEE DET DWG	ASSY64, REF 6	
1	4	LOCKER	SEE DET DWG	REF 5	
36	5	HUCK RIVET SELF PLUGGING BLIND NO. P-6-D	ALUMINUM		
12	6	HUCK COMMERCIAL LOCK BOLT NO. CLPB F6-2	ALUMINUM		
AS REQ'D	7	1/4" ENSOLITE	TY III RUBBER		MIL-P-15280
AS REQ'D	8	BONDING AGENT	CEMENT		MIL-A-24179
12LF	9	ANGLE, BASE, 2-1/2" x 2" x 3/16"	MED STL		
24	10	BOLT, 1/4"-20UNC 2A	STL (ZINC COAT)		L-3/4"
24	11	NUT, HEX 1/4"-20UNC 2B	STL (ZINC COAT)		TACK WELD TO PT # 9 IN SHOP
24	12	WASHER, LOCK	STL (ZINC COAT)		
6	13	LASHING STAPLE	MED STL		SEE DETAIL D



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 021
DEWATERING KIT STOWAGE LOCKER
PAGE 3 OF 3



PLAN





DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 022
EDUCTOR, (1-1/2")
VERTICAL STOWAGE BRACKET




DETAIL A

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 023


EDUCTOR, (1-1/2") VERTICAL STOWAGE RACK



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 024
EDUCTOR, (2-1/2") PERI-JET
HORIZONTAL STOWAGE





DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 025
EDUCTOR, (2-1/2") PERI-JET
VERTICAL STOWAGE RACK



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 026
EDUCTOR/PERI-JET, (1-1/2" / 2-1/2")
VERTICAL STOWAGE RACK



TUBEAXIAL FAN STOWAGE



DETAIL A

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 027
FAN STOWAGE, (DCRS), TUBEAXIAL
BHD MOUNTED (GRATING)



RED DEVIL FAN STOWAGE




DETAIL A

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 028
FAN STOWAGE RED DEVIL
BHD MOUNTED (GRATING)


RED DEVIL FAN STOWAGE



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 030
FAN STOWAGE RED DEVIL
VERTICAL POSITION





TUBEAXIAL FAN STOWAGE (BHD MOUNTED)



TUBEAXIAL FAN STOWAGE (DECK MOUNTED)



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 031
FAN STOWAGE (PASSAGEWAY) TUBEAXIAL
BHD/DK MOUNTED (PLATE)

WATER DRIVEN FAN STOWAGE




DETAIL A


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 032
FAN STOWAGE (DCRS) WATER DRIVEN
BHD MOUNTED (GRATING)



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 033
FAN STOWAGE, WATER DRIVEN
DECK MOUNTED




WATER DRIVEN FAN STOWAGE (BHD MOUNTED)




WATER DRIVEN FAN STOWAGE (DECK MOUNTED)


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 034
FAN STOWAGE WATER DRIVEN
BHD/DK MOUNTED (PLATE)




PLAN



ISOMETRIC VIEW




ELEVATION




SIDE VIEW


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 035
FIREFIGHTERS' BOOT STORAGE RACK (LOCKER MOUNTED)
VERSION 1




PLAN



ISOMETRIC VIEW




ELEVATION




SIDE VIEW

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 036
FIREFIGHTERS' BOOT STORAGE RACK (DECK MOUNTED)
VERSION 2




PLAN




BUNGI CORD & BOOTS
NOT SHOWN FOR CLARITY.


ISOMETRIC VIEW



ELEVATION



SIDE VIEW




DETAIL A

NOTES:


1. WELD PLATE TO BEAM.
2. LENGTH/BOOT STOWAGE RATIO:

10 INCHES	= 1 PAIR
20 INCHES	= 2 PAIRS
30 INCHES	= 3 PAIRS
40 INCHES	= 4 PAIRS
50 INCHES	= 5 PAIRS
60 INCHES	= 6 PAIRS (MAX)

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 037
FIREFIGHTERS' BOOT STOWAGE RACK (BEAM MOUNTED)
VERSION 3







PLAN




ELEVATION

SIDE VIEW


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 038
FIREFIGHTERS' BOOT STOWAGE (BHD MOUNTED)
VERSION 4




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 039
FIREFIGHTERS' ENSEMBLE STOWAGE (HANGER BAR)
VERSION 1 (PAGE 1 OF 2)



DETAIL A






DETAIL C




DETAIL B


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 039
FIREFIGHTERS' ENSEMBLE STOWAGE (HANGER BAR)
VERSION 1 (PAGE 2 OF 2)




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 040
FIREFIGHTERS' ENSEMBLE STOWAGE (HOOK)
VERSION 2 (PAGE 1 OF 2)



DETAIL A




DETAIL C




DETAIL B

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 040
FIREFIGHTERS' ENSEMBLE STOWAGE (HOOK)
VERSION 2 (PAGE 2 OF 2)




PLAN



PLAN (SUB-BASE)

9 SUB-BASE
2-1/2" x 2" x 3/16"
ANGLE



ELEVATION

**ELEVATION
(NO DOORS)**

SIDE VIEW


1/4" ENSOLITE ON TOP
OF SHELVES & SIDES,
BACK & BOT LOCKER

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 041
FIREFIGHTERS' ENSEMBLE COVERALL STOWAGE LOCKER
VERSION 3 (PAGE 1 OF 2)


	ASSY	LIST OF MATERIAL			
QTY	PART NO.	NAME	MATERIAL	REFERENCES	REMARKS
6	1	HINGE, 2" x 1-5/8"	STL CAD PLTD	NN STOCK 17-15-302	
6	2	ANTI-RATTLER	RUBBER PURE GUM		
1	3	LOCKING DEVICE	SEE DET DWG	ASSY64, REF 6	
1	4	LOCKER	SEE DET DWG	REF 5	
36	5	HUCK RIVET SELF PLUGGING BLIND NO. P-6-D	ALUMINUM		
12	6	HUCK COMMERCIAL LOCK BOLT NO. CLPB F6-2	ALUMINUM		
AS REQ'D	7	1/4" ENSOLITE	TY III RUBBER		MIL-P-15280
AS REQ'D	8	BONDING AGENT	CEMENT		MIL-A-24179
12LF	9	ANGLE, BASE, 2-1/2" x 2" x 3/16"	MED STL		
24	10	BOLT, 1/4"-20UNC 2A	STL (ZINC COAT)		L-3/4"
24	11	NUT, HEX 1/4"-20UNC 2B	STL (ZINC COAT)		TACK WELD TO PT # 9 IN SHOP
24	12	WASHER, LOCK, 1/4"	STL (ZINC COAT)		
4	13	HOOK, COAT CEILING MOUNTED	COM'L STL	BLAINE WINDOW INC. PT # 6212	OR EQUAL
8	14	RIVET, AVEX 3/16" DIA.	COM'L AL		OR EQUAL

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 041
FIREFIGHTERS' ENSEMBLE COVERALL STOWAGE LOCKER
VERSION 3 (PAGE 2 OF 2)


BUTTERFLY CLIP USED FOR STOWAGE
OF FIRE FIGHTERS HELMET - MATERIAL
TO BE CRES/CARBON STEEL 1/4 LB
PLATE - DEBURR ALL EDGES.




INSTALLATION
MOUNTING SINGLE HELMET



INSTALLTION MOUNTING
HELMETS SIDE BY SIDE





BUTTERFLY CLIP - FULL




BUTTERFLY CLIP - HALF

- NOTE:
1. CUT CLIP IN HALF FOR SINGLE HELMET MOUNTING, USE FULL CLIP WHEN MOUNTING HELMETS SIDE BY SIDE.
 2. USE HELMET AS MODEL FOR DISTANCE WHEN INSTALLING CLIPS.


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 042
FIREFIGHTERS' HELMET STOWAGE
(BUTTERFLY CLIP)




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 043
FIREFIGHTERS' HELMET STOWAGE RACK
VERSION 1




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 044
FIREFIGHTERS' HELMET STOWAGE RACK
VERSION 2 (LIGHT WEIGHT)



PLAN (SUB-BASE)




PLAN




DETAIL-A
(ENLARGED)

BOX STIFFENER



SECTION B-B



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 045 **FIREFIGHTING EQUIPMENT & PROXIMITY SUIT STOWAGE LOCKER** **PAGE 1 OF 3**


PROXIMITY SUITS (2)	4 FT APPLICATOR (2)	IN-LINE EDUCTOR (2)	KIT BAG
			KIT BAG
			PROXIMITY SUIT HELMET (2)
			BIN FOR VARIOUS NOZZLES
		24" BOLT CUTTER	
#12 HAMMER / PICK AXE / 36" PINCH			
1-1/2" x 50' FIRE HOSE		1-1/2" x 50' FIRE HOSE	
1-1/2" x 50' FIRE HOSE			

STOWAGE GUIDANCE PLAN


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 045
FIREFIGHTING EQUIPMENT & PROXIMITY SUIT STOWAGE LOCKER
PAGE 2 OF 3

	ASSY	LIST OF MATERIAL			
QTY	PART NO.	NAME	MATERIAL	REFERENCES	REMARKS
6	1	HINGE, 2" x 1-5/8"	STL CAD PLTD	NN STOCK 17-15-302	
6	2	ANTI-RATTLER	RUBBER PURE GUM		
1	3	LOCKING DEVICE	SEE DET DWG	ASSY64, REF 6	
1	4	LOCKER	SEE DET DWG	REF 5	
36	5	HUCK RIVET SELF PLUGGING BLIND NO. P-6-D	ALUMINUM		
12	6	HUCK COMMERCIAL LOCK BOLT NO. CLPB F6-2	ALUMINUM		
AS REQ'D	7	1/4" ENSOLITE	TY III RUBBER		MIL-P-15280
AS REQ'D	8	BONDING AGENT	CEMENT		MIL-A-24179
12LF	9	ANGLE, BASE, 2-1/2" x 2" x 3/16"	MED STL		
24	10	BOLT, 1/4"-20UNC 2A	STL (ZINC COAT)		L-3/4"
24	11	NUT, HEX 1/4"-20UNC 2B	STL (ZINC COAT)		TACK WELD TO PT # 9 IN SHOP
24	12	WASHER, LOCK	STL (ZINC COAT)		
1	13	SCALING LADDER	MED STL		
5	14	RIVET, AVEX 3/16" DIA.	COM'L AL		OR EQUAL
2	15	HOOK, COAT CEILING MOUNTED	COM'L STL	BLAINE WINDOW INC. PT # 6212	OR EQUAL
4	16	RIVET, AVEX 3/16" DIA.	COM'L AL		OR EQUAL

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 045
FIREFIGHTING EQUIPMENT & PROXIMITY SUIT STOWAGE LOCKER
PAGE 3 OF 3



PLAN




ELEVATION

SIDE VIEW



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 046

FIRE HOSE HANGER STOWAGE RACK


GAS FREE ENGINEER'S LOCKER
ALUMINUM



PLAN



ELEVATION




SIDE VIEW


NOTES:

1. MATERIAL:
ALUMINUM - WHEN MADE IN ACCORDANCE WITH
DWG # 53605-630718 MODIFIED.
2. FINISH AS SPECIFIED.
3. DOOR HAS LEVER HANDLE WITH PADLOCK EYE AND UP & DOWN BOLTS
(PADLOCK NOT FURNISHED WITH LOCKER).
4. JAMESTOWN METAL SKETCH SK 226-1-N.
5. STENCIL 2", RED LETTERS: "GAS FREE ENGINEER".

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 047
GAS FREE ENGINEER STOWAGE
VERSION 1



PLAN




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 048
GAS FREE ENGINEER EQUIPMENT STOWAGE LOCKER
VERSION 2 (PAGE 1 OF 2)

	ASSY	LIST OF MATERIAL			
QTY	PART NO.	NAME	MATERIAL	REFERENCES	REMARKS
6	1	HINGE, 2" x 1-5/8"	STL CAD PLTD	NN STOCK 17-15-302	
6	2	ANTI-RATTLER	RUBBER PURE GUM		
1	3	LOCKING DEVICE	SEE DET DWG	ASSY64, REF 6	
1	4	LOCKER	SEE DET DWG	REF 5	
36	5	HUCK RIVET SELF PLUGGING BLIND NO. P-6-D	ALUMINUM		
12	6	HUCK COMMERCIAL LOCK BOLT NO. CLPB F6-2	ALUMINUM		
AS REQ'D	7	1/4" ENSOLITE	TY III RUBBER		MIL-P-15280
AS REQ'D	8	BONDING AGENT	CEMENT		MIL-A-24179


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 048
GAS FREE ENGINEER EQUIPMENT STOWAGE LOCKER
VERSION 2 (PAGE 2 OF 2)

MCU 2P PROTECTIVE MASK/LIFE JACKET/ANTI-FLASH GEAR
STACKED STOWAGE CABINET WITH OPTIONAL QUANTITY OF SHELVES
DEPENDING ON REQUIREMENTS AND SPACE AVAILABLE.




NOTE: INDIVIDUAL BOXES TO BE
.0625" ALUMINUM. SPOT WELDED.

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 049
GENERAL QUARTERS EQUIPMENT STOWAGE
VERSION 1




PLAN



ELEVATION

**ELEVATION
(NO DOORS)**




SIDE VIEW

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 050
GENERAL QUARTERS EQUIPMENT STOWAGE LOCKER
VERSION 2 (PAGE 1 OF 2)

	ASSY	LIST OF MATERIAL			
QTY	PART NO.	NAME	MATERIAL	REFERENCES	REMARKS
6	1	HINGE, 2" x 1-5/8"	STL CAD PLTD	NN STOCK 17-15-302	
6	2	ANTI-RATTLER	RUBBER PURE GUM		
1	3	LOCKING DEVICE	SEE DET DWG	ASSY64, REF 6	
1	4	LOCKER	SEE DET DWG	REF 5	
36	5	HUCK RIVET SELF PLUGGING BLIND NO. P-6-D	ALUMINUM		
12	6	HUCK COMMERCIAL LOCK BOLT NO. CLPB F6-2	ALUMINUM		


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 050
GENERAL QUARTERS EQUIPMENT STOWAGE LOCKER
VERSION 2 (PAGE 2 OF 2)

MCU 2P PROTECTIVE MASK/LIFE JACKET/ANTI-FLASH GEAR
STACKED STOWAGE CABINET WITH OPTIONAL QUANTITY OF SHELVES
DEPENDING ON REQUIREMENTS AND SPACE AVAILABLE.




NOTE: INDIVIDUAL BOXES TO BE
.0625" ALUMINUM. SPOT WELDED.

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 051
GENERAL QUARTERS EQUIPMENT STOWAGE
VERSION 3




BAG HOOK




BOLT CUTTER HOOK


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 052
HOOKS, MISCELLANEOUS DAMAGE CONTROL STOWAGE
PAGE 1 OF 3



"M" STAPLE




HOOK




"S" HOOK

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 052
HOOKS, MISCELLANEOUS DAMAGE CONTROL STOWAGE
PAGE 2 OF 3




"Y" SUPPORT


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 052
HOOKS, MISCELLANEOUS DAMAGE CONTROL STOWAGE
PAGE 3 OF 3




PLAN



ISOMETRIC VIEW



ELEVATION




SIDE VIEW


1-1/2" x 50' FIRE HOSE CRADLE

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 053


**HOSE STOWAGE (CRADLE)
VERSION 1 (PAGE 1 OF 3)**




PLAN



ISOMETRIC VIEW



ELEVATION




SIDE VIEW


2-1/2" x 50' FIRE HOSE CRADLE

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 053


**HOSE STOWAGE (CRADLE)
VERSION 1 (PAGE 2 OF 3)**




PLAN



ISOMETRIC VIEW



ELEVATION



SIDE VIEW




4" x 50' DISCHARGE HOSE CRADLE

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 053


**HOSE STOWAGE (CRADLE)
VERSION 1 (PAGE 3 OF 3)**

NOM ϕ (HOSE)	"A" DIMENSION
1-1/2"	4" x 1/4" x 2-3/4" STEEL FB (AS REQUIRED)
2-1/2"	4" x 1/4" x 4-1/2" STEEL FB (AS REQUIRED)
4"	4" x 1/4" x 6-5/8" STEEL FB (AS REQUIRED)




- (A) PAD, TAPPED, ROUND, 3/8"-16 UNC-2 BX, 1" LONG STEEL (AS REQUIRED)
- (B) BOLT, HEX HEAD, SELF LOCKING, 3/8"-16 UNC-2 A, 1" LONG, STEEL (AS REQUIRED)
- (C) BOLT, HEX HEAD, 3/8"-16 UNC-2 A, 1" LONG, STEEL (AS REQUIRED)
- (D) NUT, HEX, SELF LOCKING, 3/8"-UNCJ-3 B, STEEL (AS REQUIRED)



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 054 **HOSE STOWAGE (CRADLE)** **VERSION 2**




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 055
HOSE STOWAGE BRACKET (FOUR 3" x 10' SUCTION ONLY)





DETAIL A





DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 056
HOSE STOWAGE RACK (ONE 4" x 10' DISCHARGE HOSE)





DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 057
HOSE STOWAGE RACK, ONE 2" x 20' EXHAUST RUBBER HOSE - P250
AND TWO 2-1/2" x 50' FIRE HOSE




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 058
HOSE STOWAGE RACK (THREE 3" x 10' SUCTION HOSE - P250)
OR (FOUR 2-1/2" x 10' SUCTION HOSE - SUB-PUMP)




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 059
HOSE STOWAGE RACK (TWO 1-1/2" x 50' FIRE HOSE)




PLAN



ISOMETRIC VIEW




ELEVATION




SIDE VIEW


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 060 **HOSE STOWAGE RACK (HARD HOSE CLIPS) 10' AND 20' LENGTHS**




ISOMETRIC VIEW



PLAN




ELEVATION




SIDE VIEW


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 061
HOSE STOWAGE RACK (HARD SUCTION)
3-1/2" x 36" AND 3-1/2" x 84" LENGTHS




BULKHEAD MOUNTED (HORIZONTAL)




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 062
LADDER, (6 FT SCALING) STOWAGE BRACKETS
HORIZONTAL




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 063
LADDER, (6 FT SCALING) STOWAGE BRACKETS
VERTICAL




PLAN



ISOMETRIC VIEW




ELEVATION




SIDE VIEW

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 064 **MISCELLANEOUS ACCESS TOOL STOWAGE RACK**







VERSION 1 (BHD MOUNT)



VERSION 2 (DECK MOUNT)

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 065


NFTI STOWAGE RACK



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 066
OBA & OBA CANISTER STOWAGE LOCKER
PAGE 1 OF 2

	ASSY	LIST OF MATERIAL			
QTY	PART NO.	NAME	MATERIAL	REFERENCES	REMARKS
6	1	HINGE, 2" x 1-5/8"	STL CAD PLTD	NN STOCK 17-15-302	
6	2	ANTI-RATTLER	RUBBER PURE GUM		
1	3	LOCKING DEVICE	SEE DET DWG	ASSY64, REF 6	
1	4	LOCKER	SEE DET DWG	REF 5	
12	5	HUCK RIVET SELF PLUGGING BLIND NO. P-6-D	ALUMINUM		
12	6	HUCK COMMERCIAL LOCK BOLT NO. CLPB F6-2	ALUMINUM		
12LF	7	ANGLE, BASE, 2-1/2" x 2" x 3/16"	MED STL		
22	8	BOLT, 1/4"-20UNC 2A	STL (ZINC COAT)		L-3/4"
22	9	NUT, HEX, 1/4"-20UNC 2B	STL (ZINC COAT)		
22	10	WASHER, LOCK	STL (ZINC COAT)		

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 066
OBA & OBA CANISTER STOWAGE LOCKER
PAGE 2 OF 2




SIX UNIT OBA CANISTER
STOWAGE RACK
READY SERVICE, PORTABLE


36 UNIT OBA CANISTER
STOWAGE RACK
READY SERVICE

NOTE:
MATERIAL TO BE .0625"
ALUMINUM SPOT WELDED.

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 067
OBA CANISTER STOWAGE (RACK)
VERSION 1




SIX UNIT OBA CANISTER
STOWAGE RACK
READY SERVICE, PORTABLE




36 UNIT OBA CANISTER
STOWAGE RACK
READY SERVICE


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 068
OBA CANISTER STOWAGE (RACK)
VERSION 2




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 069
OBA STOWAGE LOCKER, SINGLE UNIT
(PAGE 1 OF 3)




8 DETAIL B



7 DETAIL C




6 DETAIL D



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 069
OBA STOWAGE LOCKER, SINGLE UNIT
(PAGE 2 OF 3)

	ASSY	LIST OF MATERIAL			
QTY	PART NO.	NAME	MATERIAL	REFERENCES	REMARKS
2	1	BODY, LKR & COVER	AL ALY5052 H32 ASTM-B-209		.080" THK
2	2	HANDLE	AL ALY5052 H32 ASTM-B-209		.125" THK, 1" WIDE
1	3	PLATE, LABEL, .062	CRES-CL-304 QQ-S-766		POLISHED (1) SIDE
8	4	CATCH, DRAW PULL	STL ZINC PL		TO CORBIN 15824ZP
2	5	SHEET, RUBBER 1/16" THK	SYN RUBBER MIL-R-900		
2	6	BRACKET, SUPPORTING	AL ALY5052 H32 ASTM-B-209		.125" THK,
1	7	BRACKET, RETAINING	AL ALY5052 H32 ASTM-B-209		.125" THK
1	8	SUPPORT, MASK	AL ALY5052 H32 ASTM-B-209		.125" THK,
28	9	RIVET, BLIND DH 1/8" DIA.	AL ALY MIL-R-24243		6-A-606F

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 069
OBA STOWAGE LOCKER, SINGLE UNIT
(PAGE 3 OF 3)




MATERIAL

FRAME:


PLATE OR BAR STOCK
3/16" x 1-1/2" ALUMINUM

HOOKS:

3/8" DIAMETER
ALUMINUM ROD
SERIES 5062




A (Qty 3)




B (Qty 3)

ALTERNATE METHODS



ALL BAR STOCK



ALL PLATE

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 070

**OBA STOWAGE RACK
VERSION 1**

MATERIAL

FRAME: Aluminum Flat Bar

1 ea 3/16" X 1-1/2" X 11-5/8"

1 ea 3/16" X 1-1/2" X 78-1/2"

2 ea 3/16" X 1" X 6"

Aluminum Plate

1 ea 3/16" X 5-1/2" X 17-1/4"

1 ea 3/16" X 6" X 11-5/8"

STRAP:

1 ea 1/8" X 3/4" X 13-1/2" rubber with 3/4" hook (each end)

2 ea 1/16" X 5/8" X 7-1/2" canvas straps with lock snap assembly


8 ea holes in mounting plate 5/16" DIA

For stowage of:

1 OBA

1 Cannister


1 Set of anti-flash gear





DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #071

OBA STOWAGE RACK VERSION 2


P250 ACCESSORIES EQUIPMENT LOCKER (PORTABLE)
ALUMINUM OR STEEL



PLAN



ELEVATION





END VIEW

NOTES:



1. MATERIALS:
ALUMINUM - WHEN MADE IN ACCORDANCE WITH NAVSHIPS DWG. # 53702-921575, MODIFIED.
STEEL - WHEN IN ACCORDANCE WITH NAVSHIPS DWG. # 53702-860360, MODIFIED.
2. FINISH AS SPECIFIED.
3. STENCIL REPAIR LOCKER NO.____ AND P250 ACCESSORIES ON WHITE BACKGROUND 2" RED LETTERS.
4. INSTALL ON 6" FOUNDATION.
5. JAMESTOWN METAL DRAWING SK 358U.

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 072


P250 EQUIPMENT ACCESSORY STOWAGE



PLAN VIEW




ELEVATION



SIDE VIEW



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 073

P-250 MOD 2 PROPANE CARTRIDGE STOWAGE



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 074

PECU ROD STOWAGE



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 075

PECU STOWAGE BRACKET FOUNDATION


- ① OBA CANISTERS READY SERVICE STOWAGE RACK PORTABLE (6 EACH)
- ② SPACE FOR OBA or FFBA STOWAGE RACK (6 EACH)
- ③ FFE SUIT (HANGING STOWAGE HOOK) (2 EACH)
- ④ OPTIONAL SHELF FOR STOWAGE OF GAS MASK & LIFE-JACKETS (6 EACH)
- ⑤ FIREMEN'S HELMETS MK1 MOD2 (6 EACH)
- ⑥ BOOTS (FIREMEN'S) TO SIT ON DECK (6 PAIR)



1. ANTI-FLASH GEAR TO BE STOWED IN FIREMEN'S HELMET.
2. GLOVES (FIREMEN) TO BE STOWED IN FFE SUIT POCKETS.
3. DOORS TO BE SECURED WITH (2) 2-1/2" BARREL BOLTS, 18" FROM TOP/BOTTOM OF DOOR.
4. CAGE TO BE CONSTRUCTED BY 3/8" EXPANDED METAL STEEL
5. ALL FRAMING MATERIALS ARE 1-1/2" ANGLE STEEL.
6. DOOR HINGES ARE 3" STRAP HINGE.
7. (2) 5/8" EYE HOOKS SHALL BE INSTALLED ON OUTSIDE EDGE TOP OF THE DOOR FRAME TO SECURE DOOR IN OPEN POSITION.
8. (2) 5/8" EYES TO SECURE BUNGI CORD INSTALLED 1' ABOVE THE DECK, 14" APART DIRECTLY BELOW HANGER HOOKS.
9. INSTALL BUTTERFLY CLIPS IAW NAVSEA SKETCH NO. DC 0003 TO MOUNT HELMETS.
10. INSTALL OBA RACKS IAW NAVSEA SKETCH NO. DC 0011.
11. FABRICATE AND INSTALL PORTABLE CANISTER RACK IAW NAVSEA SKETCH NO. DC 0004.
12. HANGING HOOK TO BE FABRICATED FROM 5/8" ROUND STOCK - STEEL BY 6" LONG.
13. FABRICATE 4" X 4" X 1/8" STEEL BACKING PLATE, WELD TO EXPANDED METAL GAGE TO MOUNT OBA CANISTER RACK WITH 1/4" X 20 THD R/H SCREWS.

DCFS076

PERSONNEL PROTECTION EQUIPMENT (PPE) LOCKER
 OPTIONAL: (3 OBAS/FFBAS)



- ① (OPTIONAL) ONE EACH READY SERVICE BREATHING CARTRIDGE AND CO₂ SCRUBBER
- ② (OPTIONAL) STOWAGE COVERALLS/FFE SUITS
- ③ (OPTIONAL) HANGER HOOK TO HANG FFE SUIT OR BUTTERFLY CLIPS FOR HELMETS [1 SQFT PER HELMET]
- ④ REMOVABLE PARTITION
- ⑤ BUNGI CORD EYE HOOK TO SECURE FFE SUIT
- ⑥ FF HELMET
- ⑦ EYE PROTECTION SHIELD

PPE LOCKER

3 - FFE
 3 - OBA/FFBA
 36 - OBA CANISTERS
 or


18 - BREATHING CARTRIDGES (6/FFBA)
 18 - SCRUBBER CARTRIDGES (6/FFBA)

SHELVES ARRANGED AS SHOWN.
 ALL OTHER REQUIREMENTS OF
 DWG 803-54824286.
 ASSEMBLY 104 APPLY.

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 077
PERSONNEL PROTECTION EQUIPMENT STOWAGE (3 FFE)
VERSION 1

PERSONNEL PROTECTION EQUIPMENT (PPE) LOCKER

OPTIONAL: (4 OBAS/FFBAS)




- ① (OPTIONAL) ONE EACH READY SERVICE BREATHING CARTRIDGE AND CO₂ SCRUBBER
- ② (OPTIONAL) STOWAGE COVERALLS/FFE SUITS
- ③ (OPTIONAL) HANGER HOOK TO HANG FFE SUIT OR BUTTERFLY CLIPS FOR HELMETS [1 SQFT PER HELMET]
- ④ REMOVABLE PARTITION
- ⑤ BUNGI CORD EYE HOOK TO SECURE FFE SUIT
- ⑥ FF HELMET
- ⑦ EYE PROTECTION SHIELD

PPE LOCKER

- 4 - OBA/FFBA
- 4 - PAIR BOOTS
- 4 - SETS COVERALLS
- 4 - FIREFIGHTING HELMETS
- 36 - OBA CANISTERS
- or
- 24 - BREATHING CARTRIDGES (6/FFBA)
- 24 - SCRUBBER CARTRIDGES (6/FFBA)

SHELVES ARRANGED AS SHOWN.
ALL OTHER REQUIREMENTS OF
DWG 803-54824286.
ASSEMBLY 104 APPLY.


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 078
PERSONNEL PROTECTION EQUIPMENT STOWAGE (4 FFE)
VERSION 2



Bracket Description	Manufacturer	Dimensions
1. Model 150/Omni	For Hurst Tool	17¾"H x 5½"W x 5"D
2. Model 27 Bracket	For Hurst Tool	31"H x 13½"W x 7¾"D
3. Model 30 Ram	For Hurst Tool	24"H x 5½"W x 3¾"D
4. Engine Mounting Bracket -	Ship's Force	2½"H x 20"W x 20"D
5. Attachment Case Bracket - - Wrap around bracket - Support bracket - Tie down hook	Ship's Force	1"H x 16"W x 4"D 2"H x 4"W x 4"D
6. Hose Reel Bracket -	Ship's Force	2½"H x 16½"W x 16½"D
7. Hose Bracket -	Ship's Force	10"H x 14"W x 12"D

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #079


PHARS STOWAGE BRACKETS






**PLATE PATCH STOWAGE
(BHD MOUNTED)**

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 080




PLATE PATCH STOWAGE RACK




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 081
PORTABLE SUB-PUMP STOWAGE
(PAGE 1 OF 3)




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 081
PORTABLE SUB-PUMP (FOUNDATION) STOWAGE
(PAGE 2 OF 3)




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 081
PORTABLE SUB-PUMP (HOLDER ASSEMBLY) STOWAGE
(PAGE 3 OF 3)



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #081A
PORTABLE SUB-PUMP STOWAGE
SINGLE UNIT



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH #081B
PORTABLE SUB-PUMP STOWAGE
DOUBLE UNIT




NOTES:

1. CHEST TO BE FABRICATED TO MEET WATERTIGHT INTEGRITY.
2. THIS CHEST IS TO BE PAINTED STRIPPING ENAMEL RED
COLOR NO. 11105 FED STD 595 MIL-SPEC TT-E-489.
3. "RESCUE & ASSISTANCE" TO BE STENCILED 1-1/2" LETTERS
WITH WHITE PAINT.

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 082


RESCUE AND ASSISTANCE CHEST

- (A) 60" x 3" x 3" x 1/2" ANGLE
- (B) 32" x 3" x 1/2" FLAT STOCK
(DRILL 13/32" DIA ON ENDS)
- (C) 1/2" x 3/8" BOLTS WITH WING NUTS
- (D) 38" x 3" x 1/4" FLAT STOCK
- (E) 2" x 4-3/4" x 1/4" CLIPS FOR SUPPORT




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 083
SHORING METAL STORAGE RACK (HORIZONTAL)
VERSION 1

- (A) 47-1/2" x 3" x 3" x 1/2" ANGLE
- (B) 35" x 3" x 1/2" FLAT STOCK
(DRILL 13/32" DIA ON ENDS)
- (C) 1/2" x 3/8" BOLTS WITH WING NUTS
- (D) 15" x 3" x 1/4" FLAT STOCK
- (E) 2" x 4-3/4" x 1/4" CLIPS FOR SUPPORT




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 084
SHORING METAL STORAGE RACK (HORIZONTAL)
VERSION 2




- (A) ROUND BAR, 3/8" DIA., 6" LONG STEEL, 8 EACH.
- (B) PLATE, 1/4" x 12" x 12" WITH 3" RAD CORNER, STEEL 2 EACH.
- (C) PLATE, 1/4" x 10" x 5" STEEL, 2 EACH.
- (D) PLATE, 1/4" x 5' x 8" STEEL, 4 EACH.
- (E) PLATE, 1/4" x 3" x 5" STEEL, 2 EACH.




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 085
SHORING METAL STOWAGE RACK (VERTICAL)
VERSION 3




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 086
SHORING METAL STOWAGE RACK (VERTICAL)
VERSION 4 (PAGE 1 OF 2)




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 086
SHORING METAL STOWAGE RACK (VERTICAL)
VERSION 4 (PAGE 2 OF 2)





DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 087
SHORING METAL STORAGE RACK (VERTICAL)
VERSION 5



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 088
SHORING WOODEN, STOWAGE RACK (4 PCS)
WITH SHORING BATTEN STOWAGE




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 089
SHORING WOODEN, STOWAGE RACK (9 PCS)
WITH SHORING BATTEN STOWAGE




DETAIL A

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 090 **SMOKE CURTAIN HOOKS**




VERSION 1 (BHD MOUNTED)





VERSION 2 (ABOVE DOOR MOUNTED)


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 091
SMOKE CURTAIN STOWAGE (BRACKET)



PLAN



ELEVATION




SIDE VIEW


NOTES:

1. MATERIALS:
ALUMINUM - WHEN MADE IN ACCORDANCE WITH NAVSHIPS DWG # 805-1639424 & 3209-86189 (FOR GUIDE ONLY).
STEEL - WHEN MADE IN ACCORDANCE WITH NAVSHIPS DWG # 805-4598127 (FOR GUIDE ONLY).
2. FINISH AS SPECIFIED.
3. ADJUSTABLE SHELVES TO HAVE 1" LIP QUAN. AS SPECIFIED.
4. STENCIL 2" LETTERS, BLACK, "SMOKE CURTAINS".
5. JAMESTOWN METAL MARINE SK 207-1-2-N.


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 092
SMOKE CURTAIN STOWAGE (LOCKER)




PLAN VIEW




ISOMETRIC VIEW



ELEVATION VIEW




SIDE VIEW




DETAIL A

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 093 **SMOKE GENERATOR STOWAGE RACK**




ISOMETRIC VIEW




DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 094


VARI-NOZZEL STOWAGE HOLDER, 1-1/2" AND 2-1/2"





VENT HOSE STOWAGE (BHD MOUNTED)



DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 095
VENT HOSE STOWAGE, BHD MOUNTED (VERTICAL)
VERSION 1




NOTE:
QUICK RELEASE RUBBER STRAP
(1" x 1/4"), IS NOT SHOWN
FOR CLARITY.




8" VENT DUCT STOWAGE
(SINGLE STOWAGE SHOWN)

DOUBLE STOWAGE IS SIMILAR, EXCEPT
2X WIDTH, WITH 2 HOOKS, CENTER GUSSET
AND ONE QUICK RELEASE STRAP


DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 096 **VENT HOSE STOWAGE (VERTICAL)** **VERSION 2**




PLAN




ISOMETRIC VIEW



ELEVATION



SIDE VIEW



DETAIL A

DAMAGE CONTROL EQUIPMENT STOWAGE SKETCH # 097

WELDING MACHINE STOWAGE RACK